Print date: 27.11.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

UFI: MWDN-K1SW-J00H-CTTX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

Abtellung Froduktsicherneit

1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Muta. 1B; H340 Carc. 1B; H350

Carc. 1B; H350 Repr. 1B; H360FD STOT RE 2; H373 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling

sodium chromate

Signal word: Danger



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 2 of 12

## Pictograms:





#### **Hazard statements**

H332	Harmful if inhaled.
H315	Causes skin irritation.
H319	Causes serious eve irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs (kidneys, Respiratory tract) through prolonged or repeated

exposure.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P201 Obtain special instructions before use.
P280 Wear eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

## Special labelling of certain mixtures

Restricted to professional users.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixtures in aqueous solution

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7775-11-3	sodium chromate			1 - < 5 %
	231-889-5	024-018-00-3		
	Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H360FD H330 H301 H312 H314 H334 H317 H372 H400 H410			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7775-11-3	231-889-5	sodium chromate	1 - < 5 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg Resp. Sens. 1; H334: >= 0,2 - 100 Skin Sens. 1; H317: >= 0,2 - 100		

Print date: 27.11.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 3 of 12

### **Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: sodium chromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: sodium chromate

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Cough

Dyspnoea

Allergic reactions

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

# 4.3. Indication of any immediate medical attention and special treatment needed

Antidotes: EDTA, DMPS (Demaval®)

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products



according to Regulation (EC) No 1907/2006

# Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 4 of 12

In case of fire may be liberated: Metal oxide smoke, toxic

### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

Do not breathe vapour/aerosol.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 5 of 12

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

### Further information on storage conditions

Store in a dry place.

storage temperature +15°C - +25°C

### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Wear eye protection/face protection.

# Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 6 of 12

sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: yellow
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available
Upper explosion limits:

No data available
Flash point:

not applicable
Auto-ignition temperature:

pH-Value:

9,5
Viscosity / kinematic:

No data available
Water solubility:

completely miscible

Water solubility: Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density (at 20 °C):

Bulk density:

No data available

Relative vapour density:

No data available

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 7 of 12

### Other safety characteristics

Evaporation rate:

Solvent separation test:

Sublimation point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

## **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

No data available

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### **Acute toxicity**

Harmful if inhaled.

Avoid exposure - obtain special instructions before use.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7775-11-3	sodium chromate					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

### Irritation and corrosivity



according to Regulation (EC) No 1907/2006

# Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 8 of 12

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

## Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (sodium chromate)

May cause an allergic skin reaction. (sodium chromate)

### Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (sodium chromate)

May cause cancer. (sodium chromate)

May damage fertility. May damage the unborn child. (sodium chromate)

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (sodium chromate)

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### **Further information**

Irritant

Cough

Dyspnoea

Allergic reactions

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 9 of 12

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN 3287

14.2. UN proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (sodium chromate)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 6 1 Classification code: T4 Special Provisions: 274 Limited quantity: 5 L Excepted quantity: E1 Transport category: Hazard No: 60 Tunnel restriction code: Ε

### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3287

14.2. UN proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (sodium chromate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T4Special Provisions:274 802Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3287

14.2. UN proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (sodium chromate)

 14.3. Transport hazard class(es):
 6.1

 14.4. Packing group:
 III

 Hazard label:
 6.1

 Special Provisions:
 223, 274



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 10 of 12

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3287

14.2. UN proper shipping name: TOXIC LIQUID, INORGANIC, N.O.S. (sodium chromate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1

Special Provisions: A3 A4 A137

Limited quantity Passenger: 2 L
Passenger LQ: Y642
Excepted quantity: E1

IATA-packing instructions - Passenger:655IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:663IATA-max. quantity - Cargo:220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Authorisations (REACH, annex XIV):

sodium chromate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,9,11,12,13,14,15.



according to Regulation (EC) No 1907/2006

## Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 11 of 12

### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

oldcomodaton for mixtaree and deed evaluation method decorating to regulation (20) no 12/12/2000 [CE.]			
Classification	Classification procedure		
Acute Tox. 4; H332	Calculation method		
Skin Irrit. 2; H315	Calculation method		
Eye Irrit. 2; H319	Calculation method		
Resp. Sens. 1; H334	Calculation method		
Skin Sens. 1; H317	Calculation method		
Muta. 1B; H340	Calculation method		
Carc. 1B; H350	Calculation method		
Repr. 1B; H360FD	Calculation method		
STOT RE 2; H373	Calculation method		
Aquatic Chronic 3; H412	Calculation method		

## Relevant H and EUH statements (number and full text)

Toxic if swallowed.

Harmful in contact with skin.
Causes severe skin burns and eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Fatal if inhaled.
Harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause genetic defects.
May cause cancer.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
May cause damage to organs (kidneys, Respiratory tract) through prolonged or repeated exposure.
May cause damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

## **Further Information**

H301

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Print date: 27.11.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Natriumchromatlösung zur Analyse 2 % Na2CrO4 in Wasser

Revision date: 27.11.2024 Product code: 18565 Page 12 of 12

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)