

Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	AnalytiChem GmbH				
	ACD					
Street:	Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
E-mail:	info@analytichem.de					
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117				
E-mail:	produktsicherheit@analytichem.de					
Internet:	www.analytichem.de					
Responsible Department:	Abteilung Produktsicherheit					
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,				
number:	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:				
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls				
	accepted)					

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Pictograms:



Hazard statements

H290

May be corrosive to metals.

Precautionary statements

oouullonuly olulonion	
P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.
P406	Store in a corrosion-resistant container with a resistant inner liner.



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 2 of 12

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

Chemical name				
EC No	Index No	REACH No		
Classification (Regulation	EC) No 1272/2008)			
potassium chloride				
231-211-8				
sodium chloride	< 1 %			
231-598-3		01-2119485491-33		
Hydrochloric acid			< 1 %	
231-595-7	017-002-01-X	01-2119484862-27		
Skin Corr. 1B, STOT SE	3; H314 H335	÷		
	EC No Classification (Regulation potassium chloride 231-211-8 sodium chloride 231-598-3 Hydrochloric acid 231-595-7	EC No Index No Classification (Regulation (EC) No 1272/2008) potassium chloride 231-211-8 sodium chloride 231-598-3 Hydrochloric acid	EC No Index No REACH No Classification (Regulation (EC) No 1272/2008)	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
7447-40-7	231-211-8	potassium chloride	< 1 %		
	oral: LD50 = ca	a. 2600 mg/kg			
7647-14-5	231-598-3	sodium chloride	< 1 %		
	dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg				
7647-01-0	231-595-7	595-7 Hydrochloric acid			
Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100					

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 3 of 12

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen chloride (HCI)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

- Remove persons to safety.
- Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 4 of 12

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 5 of 12

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7447-40-7	potassium chloride			
Worker DNEL,	long-term	inhalation	systemic	1064 mg/m ³
Worker DNEL,	acute	inhalation	systemic	5320 mg/m ³
Worker DNEL,	long-term	dermal	systemic	303 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	910 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	273 mg/m³
Consumer DN	EL, acute	inhalation	systemic	1365 mg/m ³
Consumer DN	EL, long-term	dermal	systemic	182 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	910 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	91 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	455 mg/kg bw/day
7647-14-5	sodium chloride			
Worker DNEL,	long-term	inhalation	systemic	2068,62 mg/m ³
Worker DNEL,	acute	inhalation	systemic	2068,62 mg/m ³
Worker DNEL,	long-term	dermal	systemic	295,52 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	295,52 mg/kg bw/day
Consumer DN	EL, acute	inhalation	systemic	443,28 mg/m ³
Consumer DN	EL, long-term	dermal	systemic	126,65 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	126,65 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	126,65 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	126,65 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	443,28 mg/m ³
7647-01-0	Hydrochloric acid			
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL,	acute	inhalation	local	15 mg/m³
Consumer DN	EL, long-term	inhalation	local	8 mg/m³
Consumer DN	EL, acute	inhalation	local	15 mg/m ³



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 6 of 12

PNEC values

CAS No	Substance	
Environment	al compartment	Value
7447-40-7	potassium chloride	
Freshwater		0,1 mg/l
Freshwater (intermittent releases)	1 mg/l
Marine water		0,1 mg/l
Micro-organisms in sewage treatment plants (STP)		10 mg/l
7647-14-5	sodium chloride	
Freshwater		5 mg/l
Micro-organisms in sewage treatment plants (STP)		500 mg/l
Soil		4,86 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.





Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 7 of 12

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

. 1. information on basic physical and che	mical properties	
Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		~1 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
0.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		Nie dete eus lieble
Solid:		No data available No data available
Gas: Oxidizing properties		NO GALA AVAIIADIE
Oxidizing		
-		
Other safety characteristics		
Evaporation rate:		No data available
Solvent separation test:		No data available
Solvent content: Solid content:		0
Solid content: Sublimation point:		0 No data available
Softening point:		No data available

<u>9</u>.



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024	Product code: 32069	Page 8 of 12
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7447-40-7	potassium chloride	potassium chloride							
	oral	LD50 mg/kg	ca. 2600	rat, guinea pig, sheep, goat	J Pharmacol Exp Therap 35, 1-15, 1929 (1				
7647-14-5	sodium chloride								
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared			
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 9 of 12

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 10 of 12

CAS No	lo Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7447-40-7	potassium chloride						
	Acute fish toxicity	LC50	880 mg/l	96 h	Pimephales promelas	Environmental Toxicology and Chemistry,	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge, domestic	Study report (2010)	OECD Guideline 209
7647-14-5	5 sodium chloride						
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985)	OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 11 of 12

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
<u>14.4. Packing group:</u>	III
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	III 0
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841 E1
Excepted quantity: IATA-packing instructions - Passenger:	E I 852
IATA-packing instructions - Passenger.	652 5 L
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	5 L 856
IATA-packing instituctions - Cargo:	60 L
, Tranaz. quantity - Oargo.	00 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Multielement-Standard 2 Elemente Na und K je 100 mmol/l in Salzsäure 0,1 mol/l

Revision date: 24.04.2024

Product code: 32069

Page 12 of 12

National regulatory information

Water hazard class (D):

- - non-hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion

STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)