

Revision date: 10.04.2024	Product code: 32533	3	Page 1 of 12		
SECTION 1: Identification of t	ne substance/mixture and of the comp	pany/undertaking			
<u>1.1. Product identifier</u> ICP-Multielement-Standard	"25 mg/l" 7 Elemente + Y in Salzsäure 12 9	% + Salpetersäure 4 %			
UFI:	E43W-92UV-S002-16C3				
1.2. Relevant identified uses of th	e substance or mixture and uses advised	l against			
Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)					
Uses advised against					
Do not use for private purpo	oses (household).				
1.3. Details of the supplier of the	safety data sheet				
Company name:	AnalytiChem GmbH ACD				
Street: Place:	Stempelstraße 6 D-47167 Duisburg				
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290			
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117			
1.4. Emergency telephone number:	For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)				

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

## Hazard components for labelling

Hydrochloric acid nitric acid

Signal word:

Pictograms:





## ICP-Multielement-Standard "25 mg/I" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Product code: 32533

Page 2 of 12

## Hazard statements

nazaru statements	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
Precautionary stateme	nts
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

## Special labelling of certain mixtures

Corrosive to the respiratory tract.

## 2.3. Other hazards

EUH071

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixtures in aqueous solution

## **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (E	C) No 1272/2008)			
7647-01-0	Hydrochloric acid			10 - < 15 %	
	231-595-7	017-002-01-X	01-2119484862-27		
	Skin Corr. 1B, STOT SE 3; ⊢				
7697-37-2	nitric acid	1 - < 5 %			
	231-714-2	007-030-00-3	01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, Acut				
7664-38-2	phosphoric acid			< 0.01 %	
	231-633-2	015-011-00-6	01-2119485924-24		
	Met. Corr. 1, Acute Tox. 4, S				

## Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-fa	ictors and ATE				
CAS No	EC No	Chemical name	Quantity			
	Specific Conc	Limits, M-factors and ATE				
7647-01-0	231-595-7	Hydrochloric acid	10 - < 15 %			
		H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < E 3; H335: >= 10 - 100				
7697-37-2	231-714-2	nitric acid	1 - < 5 %			
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20				
7664-38-2	2 231-633-2 phosphoric acid					
		oral: ATE = 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25				



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## ICP-Multielement-Standard "25 mg/I" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 3 of 12

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## General information

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Hydrogen chloride (HCI)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## ICP-Multielement-Standard "25 mg/l" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 4 of 12

Avoid contact with skin, eyes and clothes.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe



# ICP-Multielement-Standard "25 mg/I" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 5 of 12

vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL,	acute	inhalation	local	15 mg/m³
Consumer DNE	EL, long-term	inhalation	local	8 mg/m³
Consumer DNE	EL, acute	inhalation	local	15 mg/m³
7664-38-2	phosphoric acid		-	
Worker DNEL, acute		inhalation	local	2 mg/m³
Worker DNEL, long-term		inhalation	local	2,92 mg/m³
Consumer DNEL, long-term		inhalation	systemic	4,57 mg/m³
Consumer DNEL, long-term		inhalation	local	0,36 mg/m³
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	10,7 mg/m³

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

## equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.



## ICP-Multielement-Standard "25 mg/I" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 6 of 12

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

## Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): >480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	stinging	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		<1
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		



ICP-Multielement-Standard "25 mg/l"	7 Elemente + Y in Salzsäure 12 % + Salpetersä	iure 4 %
Revision date: 10.04.2024	Product code: 32533	Page 7 of 12
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	~1,07 g/cm³	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard classes	i	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals. Oxidising agent

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## Further information

No data available



## ICP-Multielement-Standard "25 mg/l" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 8 of 12

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose Species Source Method				
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,65 mg/l				
7664-38-2	phosphoric acid					
		ATE 500 mg/kg				

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## Other information

There are no data available on the preparation/mixture itself.

## Further information

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia



## ICP-Multielement-Standard "25 mg/I" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 9 of 12

Risk of serious damage to eyes.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.



## ICP-Multielement-Standard "25 mg/l" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 10 of 12

Do not empty into drains.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrochloric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrochloric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	ll
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Hydrochloric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	274
Limited quantity:	1L
Excepted quantity:	E2
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Hydrochloric acid)
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	0.5 L



## ICP-Multielement-Standard "25 mg/I" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024	F	Product code: 32533	Page 11 of 12
Passenger LQ:	Y840		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:		851	
IATA-max. quantity - Passenger:		1 L	
IATA-packing instructions - Cargo:		855	
IATA-max. quantity - Cargo:		30 L	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

#### Entry 3

#### Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 1 - slightly hazardous to water

Water hazard class (D):

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

## Abbreviations and acronyms

Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

## Relevant H and EUH statements (number and full text)

May intensify fire; oxidiser.
May be corrosive to metals.
Harmful if swallowed.
Causes severe skin burns and eye damage.
Causes serious eye damage.
Toxic if inhaled.
May cause respiratory irritation.
Corrosive to the respiratory tract.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## ICP-Multielement-Standard "25 mg/l" 7 Elemente + Y in Salzsäure 12 % + Salpetersäure 4 %

Revision date: 10.04.2024

Product code: 32533

Page 12 of 12

## **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)