

### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

UFI:

#### DPWX-U2QG-M006-X5CM

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangerous	Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Cana accepted)	

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

### Hazard components for labelling

nitric acid

Calcium nitrate tetrahydrate

Signal word: Pictograms:





### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025	Product code: 33192	Page 2 of 13
Hazard statements		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H332	Harmful if inhaled.	
Precautionary statemen	ıts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	ain mixtures	
EUH071	Corrosive to the respiratory tract.	

### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

### **Relevant ingredients**

CAS No	Chemical name	Chemical name		Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
7697-37-2	nitric acid			15 - < 20 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
13477-34-4	Calcium nitrate tetrahydrate			1 - < 5 %
	233-332-1		01-2119495093-35	
	Ox. Sol. 3, Acute Tox. 4, Eye Dan	n. 1; H272 H302 H318		
7664-38-2	phosphoric acid		1 - < 5 %	
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			

### Full text of H and EUH statements: see section 16.

Specific Cor	nc. Limits, M-fa	ctors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	15 - < 20 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
13477-34-4	233-332-1	Calcium nitrate tetrahydrate	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 300 - < 2000 mg/kg	
7664-38-2	231-633-2	phosphoric acid	1 - < 5 %
	oral: ATE = 50 Irrit. 2; H319: >	00 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye == 10 - < 25	



### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 3 of 13

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.





according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 4 of 13

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take



according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 5 of 13

a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

### Hints on joint storage

national regulations

### Further information on storage conditions

Keep container tightly closed.

#### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

### **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
13477-34-4	Calcium nitrate tetrahydrate						
Consumer DN	NEL, acute	oral	systemic	10 mg/kg bw/day			
7664-38-2	phosphoric acid						
Worker DNEL	., acute	inhalation	local	2 mg/m <sup>3</sup>			
Worker DNEL	., long-term	inhalation	local	2,92 mg/m <sup>3</sup>			
Consumer DN	NEL, long-term	inhalation	systemic	4,57 mg/m³			
Consumer DN	NEL, long-term	inhalation	local	0,36 mg/m <sup>3</sup>			
Consumer DN	NEL, long-term	oral	systemic	0,1 mg/kg bw/day			
Worker DNEL, long-term		inhalation	systemic	10,7 mg/m <sup>3</sup>			
PNEC value	s	÷		•			

 CAS No
 Substance

 Environmental compartment
 Value

 13477-34-4
 Calcium nitrate tetrahydrate

 Micro-organisms in sewage treatment plants (STP)
 18 mg/l

### 8.2. Exposure controls





an analyti**chem** brand

### Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 6 of 13

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

#### By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and	l	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available



Multielement-Standardl	ösung 10 Elemente in Salpetersäure 2 mol/l	
Revision date: 07.01.2025	Product code: 33192	Page 7 of 13
Upper explosion limits:	No data available	
Flash point:	No data available	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
pH-Value:	acidic	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	No data available	
Dispersion stability:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density: Relative density:	No data available No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical hazard class	es	
Explosive properties		
No data available Sustaining combustion:	No data available	
Sustaining compusition. Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		
SECTION 10: Stability and reactivity		

#### 10.1. Reactivity

Corrosive to metals. Oxidising agent

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions



#### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 8 of 13

#### Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

#### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Harmful if inhaled.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 19,48 mg/l; ATE (inhalation dust/mist) 3,246 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7697-37-2	nitric acid	-	-	-			
	inhalation vapour	ATE 2,65 mg/l					
13477-34-4	Calcium nitrate tetrahydra	Calcium nitrate tetrahydrate					
	oral	LD50 > 300 - < 2000 mg/kg	Rat	Study report (2010)	OECD Guideline 423		
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 402		
7664-38-2	phosphoric acid						
	oral	ATE 500 mg/kg					

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

Following ingestion Gastric perforation

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

### Sensitising effects

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 9 of 13

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.



### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

according to Regulation (EC) No 1907/2006

Revision date: 07.01.2025

Product code: 33192

Page 10 of 13

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
13477-34-4	Calcium nitrate tetrahydra	ate					
	Acute fish toxicity	LC50 mg/l	1378	96 h	Poecilia reticulata	Water res. 11(10):927-935 (1977)	OECD Guideline 203
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
7664-38-2	phosphoric acid	-		-	-		
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	> 1000		activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

### **Further information**

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods



### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 11 of 13

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

### Land transport (ADR/RID)

Land transport (ADR/RID)		
14.1. UN number or ID number:	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Classification code:	C1	
Limited quantity:	1 L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
<u>14.1. UN number or ID number:</u>	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	U U	
Hazard label:	8	
Classification code:	C1	
Limited quantity:	1L	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	I	
Hazard label:	8	
Special Provisions:	A212	
Limited quantity Passenger:	Forbidden	
Passenger LQ:	Forbidden	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:		Forbidden
IATA-max. quantity - Passenger:		Forbidden



Multielement-Sta	andardlösung 10 Elemente in Salpetersäure 2 mol/l	
Revision date: 07.01.2025	Product code: 33192	Page 12 of 13
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
•		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juveni work protection guideline' (94/33/EC).	le
Water hazard class (D):	1 - slightly hazardous to water	
SECTION 16: Other information		
Changes This data sheet contains changes from Abbreviations and acronyms Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corros Acute Tox: Acute toxicity		

Skin Corr: Skin corrosion

Eye Dam: Eye damage

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

	,
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung 10 Elemente in Salpetersäure 2 mol/l

Revision date: 07.01.2025

Product code: 33192

Page 13 of 13

processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)