

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Ammonium cerium(IV) nitrate a.r.

Substance name: diammonium hexanitratocerate
REACH Registration Number: 01-2119971819-18-XXXX
CAS No: 16774-21-3
EC No: 240-827-6

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: N-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Belgium NV
Street: Industriezone "De Arend" 2
Place: B-8210 Zedelgem
Telephone: +32 50 28 83 20
E-mail: info.be@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: AnalytiChem
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 2 of 12

1.4. Emergency telephone number: +44 20 3807 3798 (CHEMTREC)**Further Information**

No data available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Ox. Sol. 2; H272
Met. Corr. 1; H290
Acute Tox. 4; H302
Skin Corr. 1C; H314
Eye Dam. 1; H318
Skin Sens. 1A; H317
Aquatic Acute 1; H400
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.1. Substances**Sum formula: $(\text{NH}_4)_2[\text{Ce}(\text{NO}_3)_6]$

Molecular weight: 548,22 g/mol

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 3 of 12

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
16774-21-3	diammonium hexanitratocerate			100 %
	240-827-6		01-2119971819-18-XXXX	
	Ox. Sol. 2, Met. Corr. 1, Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H302 H314 H318 H317 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
16774-21-3	240-827-6	diammonium hexanitratocerate	100 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 300 - 2000 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off immediately all contaminated clothing.

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Vomiting

Gastrointestinal complaints

Circulatory collapse

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 4 of 12

Spasms
Narcotic effects
Respiratory complaints
Methaemoglobinemia
Ataxie

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-combustible solids
oxidising
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NOx)

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.
Avoid contact with skin, eyes and clothes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Cover drains.

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 5 of 12

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid dust formation. Do not breathe dust.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

Keep away from combustible material.

Take national regulations into account.

Further information on storage conditions

Store in a dry place.

storage temperature +5°C - +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 6 of 12

PNEC values

CAS No	Substance	
Environmental compartment		Value
16774-21-3	diammonium hexanitratocerate	
Freshwater		0,00014 mg/l
Freshwater (intermittent releases)		0,0014 mg/l
Marine water		0,000014 mg/l
Freshwater sediment		18,5 mg/kg
Marine sediment		1,85 mg/kg
Soil		0,485 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Avoid dust formation. Do not breathe dust.

Individual protection measures, such as personal protective equipment**Eye/face protection**

goggles

Wear eye protection/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

Wearing time with permanent contact

Trade name/designation: KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 7 of 12

carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	orange
Odour:	stinging
Melting point/freezing point:	214 °C
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	185 °C
pH-Value (at 20 °C):	1 (50 g/l)
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	1410 g/l
Solubility in other solvents	
No data available	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	2,49 g/cm ³
Bulk density:	1200 kg/m ³
Relative vapour density:	No data available

9.2. Other information**Information with regard to physical hazard classes****Explosive properties**

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

oxidising

May intensify fire; oxidiser.

Other safety characteristics**Evaporation rate:**

No data available

Solvent separation test:

No data available

Solvent content:

0

Solid content:

100

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 8 of 12

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

oxidising

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reducing agent

Oxidising agent

Acid

Alkali (lye)

Heavy metals

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

Acute toxicity

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
16774-21-3	diammonium hexanitratocerate				
	oral	LD50 300 - 2000 mg/kg	Rat	Study report (2013)	OECD Guideline 420
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2013)	OECD Guideline 402

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

May cause an allergic skin reaction. (diammonium hexanitratocerate)

Carcinogenic/mutagenic/toxic effects for reproduction

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 9 of 12

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards**Endocrine disrupting properties**

No data available

Other information

Resorption (oral)

Further information

Irritant — skin irritation and eye damage

Causes burns.

Cough

Dyspnoea

Risk of serious damage to eyes.

Vomiting

Gastrointestinal complaints

Circulatory collapse

Spasms

Narcotic effects

Respiratory complaints

Methaemoglobinæmia

Ataxie

SECTION 12: Ecological information**12.1. Toxicity**

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 10 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
16774-21-3	diammonium hexanitratocerate					
	Acute algae toxicity	ErC50 93 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 > 26 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50 > 256 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

BCF

CAS No	Chemical name	BCF	Species	Source
16774-21-3	diammonium hexanitratocerate	< 20	Roccus saxatilis, Crassostrea virginica, and Mya a	REACH Registration D

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 3085

14.2. UN proper shipping name:

OXIDIZING SOLID, CORROSIVE, N.O.S. (diammonium hexanitratocerate)

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 11 of 12

14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1+8
Classification code:	OC2
Special Provisions:	274
Limited quantity:	1 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	58
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 3085
14.2. UN proper shipping name:	OXIDIZING SOLID, CORROSIVE, N.O.S. (diammonium hexanitratocerate)
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1+8
Classification code:	OC2
Special Provisions:	274
Limited quantity:	1 kg
Excepted quantity:	E2

Marine transport (IMDG)

14.1. UN number or ID number:	UN 3085
14.2. UN proper shipping name:	OXIDIZING SOLID, CORROSIVE, N.O.S. (diammonium hexanitratocerate)
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1+8
Special Provisions:	274
Limited quantity:	1 kg
Excepted quantity:	E2
EmS:	F-A, S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 3085
14.2. UN proper shipping name:	OXIDIZING SOLID, CORROSIVE, N.O.S. (diammonium hexanitratocerate)
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1+8
Special Provisions:	A3 A803
Limited quantity Passenger:	2.5 kg
Passenger LQ:	Y544
Excepted quantity:	E2
IATA-packing instructions - Passenger:	558
IATA-max. quantity - Passenger:	5 kg
IATA-packing instructions - Cargo:	562
IATA-max. quantity - Cargo:	25 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	diammonium hexanitratocerate

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Ammonium cerium(IV) nitrate a.r.

Revision: 03.06.2025

Product code: AC14.00884

Page 12 of 12

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 65

Information according to Directive
2012/18/EU (SEVESO III):

P8 OXIDISING LIQUIDS AND SOLIDS

Additional information:

E1

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

3 - highly hazardous to water

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1C: Skin corrosion, sub-category 1C

Eye Dam. 1: Serious eye damage, hazard category 1

Skin Sens. 1A: Skin sensitisation, hazard category 1A

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.