

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Sulfuric acid 3 mol/l

UFI: DF29-90AA-C008-65PP

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+44 20 3807 3798 (CHEMTREC)

**1.4. Emergency telephone number:**

**Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

Revision: 30.01.2026

**Sulfuric acid 3 mol/l**

Product code: AC15.00529

Page 2 of 13

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Skin Corr. 1A; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

**Hazard components for labelling**  
sulphuric acid 25 %

**Signal word:** Danger**Pictograms:****Hazard statements**

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

| CAS No    | Chemical name   |              |                  | Quantity    |
|-----------|---|--------------|------------------|-------------|
|           | EC No   | Index No     | REACH No         |             |
|           | Classification (Regulation (EC) No 1272/2008)           |              |                  |             |
| 7664-93-9 | sulphuric acid  |              |                  | 25 - < 30 % |
|           | 231-639-5   | 016-020-00-8 | 01-2119458838-20 |             |
|           | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 |              |                  |             |

Full text of H and EUH statements: see section 16.

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 3 of 13

**Specific Conc. Limits, M-factors and ATE**

| CAS No    | EC No     | Chemical name   | Quantity    |
|-----------|-----------|---|-------------|
|           |           | Specific Conc. Limits, M-factors and ATE  |             |
| 7664-93-9 | 231-639-5 | sulphuric acid  | 25 - < 30 % |
|           |           | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 |             |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

Risk of serious damage to eyes.

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Gastric perforation

Nausea

Abdominal pain

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 4 of 13

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Sulphur oxides

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Read label before use. Handle and open container with care.

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 5 of 13

When using do not eat, drink, smoke, sniff.  
Use personal protection equipment. Use extractor hood (laboratory).  
Provide adequate ventilation. Do not inhale fog/steam/aerosol.  
Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

**Further information on handling**

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.  
Unsuitable container/equipment material: Metal

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Corrosive to metals.  
The product develops hydrogen in an aqueous solution in contact with metals.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

| CAS No    | Substance             | ppm | mg/m <sup>3</sup> | fibres/ml | Category  | Origin |
|-----------|-----------------------|-----|-------------------|-----------|-----------|--------|
| 7664-93-9 | Sulphuric acid (mist) | -   | 0.05              |           | TWA (8 h) | WEL    |

**DNEL/DMEL values**

| CAS No                 | Substance      |            |        |            |
|------------------------|----------------|------------|--------|------------|
| DNEL type              | Exposure route |            | Effect | Value      |
| 7664-93-9              | sulphuric acid |            |        |            |
| Worker DNEL, long-term |                | inhalation | local  | 0,05 mg/m³ |
| Worker DNEL, acute     |                | inhalation | local  | 0,1 mg/m³  |

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 6 of 13

**PNEC values**

| CAS No   | Substance      |             |
|--|----------------|-------------|
| Environmental compartment                        |                | Value       |
| 7664-93-9  | sulphuric acid |             |
| Freshwater                                       |                | 0,003 mg/l  |
| Marine water                                     |                | 0 mg/l      |
| Freshwater sediment                              |                | 0,002 mg/kg |
| Marine sediment                                  |                | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |                | 8,8 mg/l    |

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection:

goggles

Face protection shield

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 730 Camatril® Velours

Recommended material: NBR (Nitrile rubber) 0,4 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 7 of 13

chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

Filtering device with filter or ventilator filtering device of type: ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

|   |                   |                         |
|---|-------------------|-------------------------|
| Physical state:   | Liquid            |                         |
| Colour:   | colourless        |                         |
| Odour:  | odourless         |                         |
| Odour threshold:  | No data available |                         |
| Melting point/freezing point:                             |                   | No data available       |
| Boiling point or initial boiling point and boiling range: |                   | No data available       |
| Flammability:   |                   | No data available       |
| Lower explosion limits:                                   |                   | No data available       |
| Upper explosion limits:                                   |                   | No data available       |
| Flash point:  |                   | X                       |
| Auto-ignition temperature:                                |                   | No data available       |
| Decomposition temperature:                                |                   | No data available       |
| pH-Value:   |                   | <1                      |
| Viscosity / kinematic:                                    |                   | No data available       |
| Water solubility:   |                   | very soluble (Heat)     |
| Solubility in other solvents                              |                   |                         |
| No data available   |                   |                         |
| Dissolution rate:   |                   | No data available       |
| Partition coefficient n-octanol/water:                    |                   | No data available       |
| Dispersion stability:                                     |                   | No data available       |
| Vapour pressure:  |                   | No data available       |
| Vapour pressure:  |                   | No data available       |
| Density:  |                   | 1,177 g/cm <sup>3</sup> |
| Relative density:   |                   | No data available       |
| Bulk density:   |                   | No data available       |
| Relative vapour density:                                  |                   | No data available       |
| Particle characteristics:                                 |                   | No data available       |

**9.2. Other information**

**Information with regard to physical hazard classes**

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

**Other safety characteristics**

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 8 of 13

|                          |                   |
|--------------------------|-------------------|
| Evaporation rate:        | No data available |
| Solvent separation test: | No data available |
| Solvent content:         | No data available |
| Solid content:           | No data available |
| Sublimation point:       | No data available |
| Softening point:         | No data available |
| Pour point:              | No data available |
| No data available:       |                   |
| Viscosity / dynamic:     | No data available |
| Flow time:               | No data available |

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals.  
Oxidising agent, strong

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Violent reaction with:  
Water, Alkali metals, Ammonia  
aldehydes, Alkaline earth metal, Acids  
Alkali (lye), Metal,  
Phosphorus oxides, Combustible substance  
Solvent, Aniline, permanganates, e.g. potassium permanganate  
Peroxides, Amines, Carbide  
peroxides, for example hydrogen peroxide, Nitriles  
(H<sub>2</sub>SO<sub>4</sub>) Violent reactions possible with: alkali metals, alkali compounds, ammonia, alkaline earth metals,  
alkaline earth compounds, lyes, acids, metals, metal alloys, flammable substances, organic solvents,  
halogenates, permanganates, phosphorus oxides, phosphorus, hydrides, nitrates, carbides, acetylenes, nitriles,  
nitrides, organic nitro compounds, anilines, peroxides, picrates, lithium silicide, water.

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Metal  
The product develops hydrogen in an aqueous solution in contact with metals.  
Cellulose

**10.6. Hazardous decomposition products**

In case of fire may be liberated:  
SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

## Sulfuric acid 3 mol/l

Revision: 30.01.2026

Product code: AC15.00529

Page 9 of 13

**Acute toxicity**

Based on available data, the classification criteria are not met.  
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).  
Irritation to respiratory tract (Cough, Dyspnoea)  
Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.  
Inhalation effect: Damage to the respiratory tract.  
Other dangerous properties can not be excluded.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No    | Chemical name  |                 |         |  |  |
|-----------|----------------|-----------------|---------|--|--|
|           | Exposure route | Dose            | Species | Source                                   | Method                                   |
| 7664-93-9 | sulphuric acid |                 |         |  |  |
|           | oral           | LD50 2140 mg/kg | Rat     | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): | The study was performed as part of a ser |

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.  
Serious eye damage/eye irritation: Causes serious eye damage.  
Risk of serious damage to eyes.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

Risk of serious damage to eyes.

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 10 of 13

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Vomiting  
Gastric perforation  
Nausea  
Abdominal pain

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name            |                  |           |                         |   |                                    |
|-----------|--------------------------|------------------|-----------|-------------------------|---|------------------------------------|
|           | Aquatic toxicity         | Dose             | [h]   [d] | Species                 | Source                                  | Method                             |
| 7664-93-9 | sulphuric acid           |                  |           |                         |   |                                    |
|           | Acute algae toxicity     | ErC50 > 100 mg/l | 72 h      | Desmodesmus subspicatus | Study report (2009)                     | OECD Guideline 201                 |
|           | Acute crustacea toxicity | EC50 > 100 mg/l  | 48 h      | Daphnia magna           | Study report (2009)                     | OECD Guideline 202                 |
|           | Fish toxicity            | NOEC 0,025 mg/l  | 65 d      | Jordanella floridae     | Water Research Vol. 11, 612 - 626, 1977 | Groups of sexually mature flagfish |

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Avoid release to the environment.  
Harmful effect due to pH shift.  
Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not mix with other wastes.  
Do not allow to enter into surface water or drains.

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 11 of 13

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself. The waste code has to be identified in agreement with the disposal company or the competent authority.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 2796        |
| <b>14.2. UN proper shipping name:</b>    | SULPHURIC ACID |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Classification code:                     | C1             |
| Limited quantity:                        | 1 L            |
| Excepted quantity:                       | E2             |
| Transport category:                      | 2              |
| Hazard No:                               | 80             |
| Tunnel restriction code:                 | E              |

**Inland waterways transport (ADN)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 2796        |
| <b>14.2. UN proper shipping name:</b>    | Sulphuric acid |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Classification code:                     | C1             |
| Limited quantity:                        | 1 L            |
| Excepted quantity:                       | E2             |

**Marine transport (IMDG)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 2796        |
| <b>14.2. UN proper shipping name:</b>    | Sulphuric acid |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Special Provisions:                      | -              |
| Limited quantity:                        | 1 L            |
| Excepted quantity:                       | E2             |
| EmS:                                     | F-A, S-B       |

**Air transport (ICAO-TI/IATA-DGR)**

|  |                |
|--|----------------|
| <b>14.1. UN number or ID number:</b>     | UN 2796        |
| <b>14.2. UN proper shipping name:</b>    | SULPHURIC ACID |
| <b>14.3. Transport hazard class(es):</b> | 8              |
| <b>14.4. Packing group:</b>              | II             |
| Hazard label:                            | 8              |
| Limited quantity Passenger:              | 0.5 L          |
| Passenger LQ:                            | Y840           |
| Excepted quantity:                       | E2             |
| IATA-packing instructions - Passenger:   | 851            |
| IATA-max. quantity - Passenger:          | 1 L            |
| IATA-packing instructions - Cargo:       | 855            |
| IATA-max. quantity - Cargo:              | 30 L           |

**14.5. Environmental hazards**

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 12 of 13

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,12,13.

**Abbreviations and acronyms**

Met. Corr. 1: Corrosive to metals, hazard category 1

Skin Corr. 1A: Skin corrosion, sub-category 1A

Eye Dam. 1: Serious eye damage, hazard category 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method**

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Corr. 1A; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

**Relevant H and EUH statements (number and full text)**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our

## Safety Data Sheet

**Sulfuric acid 3 mol/l**

Revision: 30.01.2026

Product code: AC15.00529

Page 13 of 13

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*