



**Sulfur in Crude Oil, 500ppm**

Revision:

Product code: AC18.06133

Page 2 of 5

Carc. 1B; H350  
Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

**Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**

"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"

Petroleum

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H304 May be fatal if swallowed and enters airways.  
H350 May cause cancer.

**Precautionary statements**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
P308+P313 IF exposed or concerned: Get medical advice/attention.

**Special labelling**

Restricted to professional users.

**3. Composition/information on ingredients**

**Mixtures**

**Relevant ingredients**

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	Classification (Regulation (EC) No 1272/2008)	
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"	45 - < 50 %
	265-149-8 649-422-00-2	
	Asp. Tox. 1; H304	
8002-05-9	Petroleum	10 - < 15 %
	232-298-5 649-049-00-5	
	Flam. Liq. 3, Carc. 1B, Asp. Tox. 1; H226 H350 H304	

Full text of H statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-47-8	265-149-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"	45 - < 50 %
		inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

**Sulfur in Crude Oil, 500ppm**

Revision:

Product code: AC18.06133

Page 3 of 5

**4. First-aid measures**

Description of first aid measures

**5. Fire-fighting measures**

Extinguishing media

**6. Accidental release measures**

**7. Handling and storage**

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

**8. Exposure controls/Personal protection**

Control parameters

Exposure controls

**9. Physical and chemical properties**

Information on basic physical and chemical properties

Physical state: Liquid  
 Colour: clear  
 Odour: Hydrocarbons

**10. Stability and reactivity**

**11. Toxicological information**

Information on toxicological effects

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1992)	EPA OTS 798.1175
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1992)	EPA OTS 798.1100
	inhalation (4 h) vapour	LC50 > 5,28 mg/l	Rat	Study report (1987)	OECD Guideline 403

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sulfur in Crude Oil, 500ppm**

Revision:

Product code: AC18.06133

Page 4 of 5

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer. (Petroleum)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**12. Ecological information**
**Ecotoxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"					
	Acute fish toxicity	LL50 mg/l	2 - 5	96 h	Oncorhynchus mykiss	Study report (1994) OECD Guideline 203
	Acute algae toxicity	ErC50	8,3 mg/l	72 h	Raphidocelis subcapitata	Study report (1995) OECD Guideline 201
	Acute crustacea toxicity	EL50	1,4 mg/l	48 h	Daphnia magna	Study report (1995) OECD Guideline 202

**Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**13. Disposal considerations**
**Waste treatment methods**
**14. Transport information**
**Land transport (ADR/RID)**
**UN number or ID number:**

No dangerous good in sense of this transport regulation.

**United Nations proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**
**UN number or ID number:**

No dangerous good in sense of this transport regulation.

**United Nations proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Sulfur in Crude Oil, 500ppm**

Revision:

Product code: AC18.06133

Page 5 of 5

**Marine transport (IMDG)**

**UN number or ID number:** No dangerous good in sense of this transport regulation.  
**United Nations proper shipping name:** No dangerous good in sense of this transport regulation.  
**Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**UN number or ID number:** No dangerous good in sense of this transport regulation.  
**United Nations proper shipping name:** No dangerous good in sense of this transport regulation.  
**Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**Packing group:** No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Special precautions for user**

No dangerous good in sense of this transport regulation.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

No dangerous good in sense of this transport regulation.

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU Regulatory information**

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 28, Entry 40, Entry 75

**National regulatory information**

Water hazard class (D): 3 - highly hazardous to water

**16. Other information**

**Abbreviations and acronyms**

Flam. Liq. 3: Flammable liquids  
 Asp. Tox. 1: Aspiration hazard  
 Carc. 1B: Carcinogenicity

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008**

Classification	Classification procedure
Carc. 1B; H350	Calculation method
Asp. Tox. 1; H304	Calculation method

**Relevant H statements (number and full text)**

H226 Flammable liquid and vapour.  
 H304 May be fatal if swallowed and enters airways.  
 H350 May cause cancer.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*