



**Sulfur in Crude Oil, 30000ppm**

Revision date:

Product code: AC18.06139

Page 2 of 6

Carc. 1B; H350  
Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

**Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**

"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"  
Petroleum

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H304 May be fatal if swallowed and enters airways  
H350 May cause cancer

**Precautionary statements**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P331 Do NOT induce vomiting.  
P308+P313 If exposed or concerned: Get medical advice/attention.

**Special labeling**

Restricted to professional users.

**3. Composition/information on ingredients**

**Mixtures**

**Relevant ingredients**

CAS No	Components			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"			45 - < 50 %
	265-149-8	649-422-00-2		
	Asp. Tox. 1; H304			
8002-05-9	Petroleum			10 - < 15 %
	232-298-5	649-049-00-5		
	Flam. Liq. 3, Carc. 1B, Asp. Tox. 1; H226 H350 H304			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Components	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-47-8	265-149-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"	45 - < 50 %
		inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

**Sulfur in Crude Oil, 30000ppm**

Revision date:

Product code: AC18.06139

Page 3 of 6

**4. First-aid measures**

Description of first aid measures

**5. Fire-fighting measures**

Extinguishing media

**6. Accidental release measures**

**7. Handling and storage**

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

**8. Exposure controls/personal protection**

Control parameters

**Exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	Category	Origin
8002-05-9	Petroleum distillates (naphtha)	-	350	TWA (8 h)	REL
		-	C 1800	15 min	REL

Exposure controls

**9. Physical and chemical properties**

Information on basic physical and chemical properties

Physical state: Liquid  
 Color: clear  
 Odor: Hydrocarbons

**10. Stability and reactivity**

**11. Toxicological information**

Information on toxicological effects

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Sulfur in Crude Oil, 30000ppm**

Revision date:

Product code: AC18.06139

Page 4 of 6

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1992)	EPA OTS 798.1175
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1992)	EPA OTS 798.1100
	inhalation (4 h) vapour	LC50 > 5,28 mg/l	Rat	Study report (1987)	OECD Guideline 403

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer (Petroleum)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways

**12. Ecological information**
**Ecotoxicity**

Based on available data, the classification criteria are not met.

CAS No	Components					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"					
	Acute fish toxicity	LL50 2 - 5 mg/l	96 h	Oncorhynchus mykiss	Study report (1994)	OECD Guideline 203
	Acute algae toxicity	ErC50 8,3 mg/l	72 h	Raphidocelis subcapitata	Study report (1995)	OECD Guideline 201
	Acute crustacea toxicity	EL50 1,4 mg/l	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202

**Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**13. Disposal considerations**
**Waste treatment methods**

**Sulfur in Crude Oil, 30000ppm**

Revision date:

Product code: AC18.06139

Page 5 of 6

**14. Transport information**

**Land transport (ADR/RID)**

UN number or ID number: No dangerous good in sense of this transport regulation.  
UN proper shipping name: No dangerous good in sense of this transport regulation.  
Transport hazard class(es): No dangerous good in sense of this transport regulation.  
Packing group: No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

UN number or ID number: No dangerous good in sense of this transport regulation.  
UN proper shipping name: No dangerous good in sense of this transport regulation.  
Transport hazard class(es): No dangerous good in sense of this transport regulation.  
Packing group: No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

UN number or ID number: No dangerous good in sense of this transport regulation.  
UN proper shipping name: No dangerous good in sense of this transport regulation.  
Transport hazard class(es): No dangerous good in sense of this transport regulation.  
Packing group: No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

UN number or ID number: No dangerous good in sense of this transport regulation.  
UN proper shipping name: No dangerous good in sense of this transport regulation.  
Transport hazard class(es): No dangerous good in sense of this transport regulation.  
Packing group: No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Special precautions for user**

No dangerous good in sense of this transport regulation.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No dangerous good in sense of this transport regulation.

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 28, Entry 40, Entry 75

**National regulatory information**

Water hazard class (D): 3 - highly hazardous to water

**16. Other information**

**Abbreviations and acronyms**

Flam. Liq. 3: Flammable liquids  
 Asp. Tox. 1: Aspiration hazard  
 Carc. 1B: Carcinogenicity

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008**

Classification	Classification procedure
Carc. 1B; H350	Calculation method
Asp. Tox. 1; H304	Calculation method

**Relevant H statements (full text)**

**Sulfur in Crude Oil, 30000ppm**

Revision date:

Product code: AC18.06139

Page 6 of 6

H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H350	May cause cancer

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*