

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 2 of 11

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements
Regulation (EC) No 1272/2008
Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Relevant ingredients

| CAS No | Chemical name | Quantity |
|-----------|---|--------------|
| | EC No | |
| | Index No | |
| | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | |
| 8042-47-5 | White mineral oil, petroleum | 95 - < 100 % |
| | 232-455-8 | |
| 7440-66-6 | zinc | < 1 % |
| | 231-175-3 | |
| | Aquatic Acute 1, Aquatic Chronic 1; H400 H410 | |
| 7440-39-3 | Barium | < 1 % |
| | 231-149-1 | |
| | Flam. Sol. 1, Water-react. 1, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1; H228 H260 H301 H314 H318 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|-----------|--|--------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 8042-47-5 | 232-455-8 | White mineral oil, petroleum | 95 - < 100 % |
| | | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 7440-39-3 | 231-149-1 | Barium | < 1 % |
| | | oral: ATE = 100 mg/kg | |

Further Information

No data available

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 3 of 11

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water, Soap

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth.

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Pneumonia

Vapours may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam

Carbon dioxide (CO₂)

Extinguishing powder

Water

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO₂)

Carbon monoxide

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 4 of 11

Use water spray jet to protect personnel and to cool endangered containers.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

In case of warming:
Vapours are heavier than air, spread along floors and form explosive mixtures with air.
Take precautionary measures against static discharges.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Keep container tightly closed.
Use personal protection equipment. Use extractor hood (laboratory).
Do not breathe vapour/aerosol.
Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 5 of 11

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

National regulations

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

Only for laboratory and analysis purposes.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|--------|---|-----|-------------------|---------------------|-----------|--------|
| - | Mineral Oil pure, highly & severely refined (Inhalable) | - | 5 | | TWA (8 h) | |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|-----------|------------------------------|----------------|----------|-----------------------|
| 8042-47-5 | White mineral oil, petroleum | | | |
| | Worker DNEL, long-term | inhalation | systemic | 160 mg/m ³ |
| | Worker DNEL, long-term | dermal | systemic | 220 mg/kg bw/day |
| | Consumer DNEL, long-term | inhalation | systemic | 35 mg/m ³ |
| | Consumer DNEL, long-term | dermal | systemic | 93 mg/kg bw/day |
| | Consumer DNEL, long-term | oral | systemic | 40 mg/kg bw/day |

Additional advice on limit values

Observe in addition any national regulations!

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 6 of 11

Eye/face protection

goggles
Face protection umbrella

Hand protection

Tested protective gloves must be worn
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Take off immediately all contaminated clothing and wash it before reuse .
Wash hands and face before breaks and after work and take a shower if necessary .
Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|--------------------|---------------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | like: Hydrocarbons | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | 218-800 (424.4-1472°F) °C |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | ~75 mm ² /s |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | No data available |
| Relative density: | | No data available |
| Bulk density: | | No data available |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 7 of 11

| | |
|---------------------------|-------------------|
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

| | |
|---------------------------|-------------------|
| Sustained combustibility: | No data available |
|---------------------------|-------------------|

Self-ignition temperature

| | |
|--------|-------------------|
| Solid: | No data available |
|--------|-------------------|

| | |
|------|-------------------|
| Gas: | No data available |
|------|-------------------|

Oxidizing properties

No data available

Other safety characteristics

| | |
|-------------------|-------------------|
| Evaporation rate: | No data available |
|-------------------|-------------------|

| | |
|--------------------------|-------------------|
| Solvent separation test: | No data available |
|--------------------------|-------------------|

| | |
|------------------|------|
| Solvent content: | 100% |
|------------------|------|

| | |
|----------------|-------------------|
| Solid content: | No data available |
|----------------|-------------------|

| | |
|--------------------|-------------------|
| Sublimation point: | No data available |
|--------------------|-------------------|

| | |
|------------------|-------------------|
| Softening point: | No data available |
|------------------|-------------------|

| | |
|-------------|-------------------|
| Pour point: | No data available |
|-------------|-------------------|

| | |
|----------------------|-------------------|
| Viscosity / dynamic: | No data available |
|----------------------|-------------------|

| | |
|------------|-------------------|
| Flow time: | No data available |
|------------|-------------------|

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming:

Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Heat

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

in case of fire, see:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 8 of 11

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|-----------|------------------------------|-------------------|---------|---------------------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 8042-47-5 | White mineral oil, petroleum | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1987) | OECD Guideline 401 |
| | dermal | LD50 > 2000 mg/kg | Rabbit | Study report (1987) | OECD Guideline 402 |
| 7440-39-3 | Barium | | | | |
| | oral | ATE 100 mg/kg | | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 9 of 11

Further information

Gastrointestinal complaints
 Pneumonia
 Vapours may cause drowsiness and dizziness.
 Dizziness
 Depression of central nervous system
 Headache

SECTION 12: Ecological information
12.1. Toxicity

Harmful to aquatic life with long lasting effects.

| CAS No | Chemical name | | | | | |
|-----------|------------------------------|-------------------|-----------|---------------------|----------------------------|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 8042-47-5 | White mineral oil, petroleum | | | | | |
| | Acute fish toxicity | LC50 > 10000 mg/l | 96 h | Lepomis macrochirus | REACH Registration Dossier | Method: other: procedure as detailed in |
| | Acute crustacea toxicity | EC50 > 100 mg/l | 48 h | Daphnia magna | Study report (2008) | OECD Guideline 202 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|------------------------------|---------|
| 8042-47-5 | White mineral oil, petroleum | > 6 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

Send to a physico-chemical treatment facility under observation of official regulations.
 Do not allow to enter into surface water or drains.
 Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 10 of 11

SECTION 14: Transport information
Land transport (ADR/RID)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

 Information according to Directive
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information
SECTION 16: Other information
Abbreviations and acronyms

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases, hazard category 1

Flam. Sol. 1: Flammable solids, hazard category 1

Acute Tox. 3: Acute toxicity, hazard category 3

Skin Corr. 1B: Skin corrosion, sub-category 1B

Eye Dam. 1: Serious eye damage, hazard category 1

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CONOSTAN Custom Blend AM , 5000 ppm (150-250-024)

Revision: 11.12.2024

Product code: AC18.06628

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H228 | Flammable solid. |
| H260 | In contact with water releases flammable gases which may ignite spontaneously. |
| H301 | Toxic if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)