



## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 2 of 9

## 2. Hazard identification

### Classification of the substance or mixture

#### WHMIS 2015

This mixture is not classified as hazardous in accordance with WHMIS.

### Label elements

#### Other hazards

The classification as a carcinogen does not apply since the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions".

## 3. Composition/information on ingredients

### Mixtures

#### Chemical characterization

Lubricant base Oil

#### Relevant ingredients

none (according to WHMIS)

#### Further Information

No data available

## 4. First-aid measures

### Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water, Soap

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of eye irritation consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

### Most important symptoms and effects, whether acute or delayed

Gastrointestinal complaints

### Indication of immediate medical attention and special treatment needed

No data available

## 5. Fire-fighting measures

### Extinguishing media

## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 3 of 9

#### Suitable extinguishing media

Foam  
Carbon dioxide (CO<sub>2</sub>)  
Extinguishing powder  
Water

#### Unsuitable extinguishing media

no restriction

#### Specific hazards arising from the hazardous product

Combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
In case of warming:  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Use water spray jet to protect personnel and to cool endangered containers.  
Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

##### General advice

In case of warming:  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.  
Take precautionary measures against static discharges.

##### For non-emergency personnel

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### Environmental precautions

Do not allow to enter into surface water or drains.

#### Methods and material for containment and cleaning up

##### For containment

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Collect in closed and suitable containers for disposal.

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 4 of 9

#### Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Do not breathe vapour/aerosol.
- Provide adequate ventilation.

#### Advice on protection against fire and explosion

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Take precautionary measures against static discharges.
- In case of warming:
  - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs.
- The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

- Take off immediately all contaminated clothing and wash it before reuse.
- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

- Keep container tightly closed.

#### Hints on joint storage

- National regulations

#### Further information on storage conditions

- Keep cool. Protect from sunlight.

## 8. Exposure controls/Personal protection

### Control parameters

#### Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m <sup>3</sup>	Category	Origin
-	Mineral oil, excluding metal working fluids (inhalable fraction); Pure, highly and severely refined		5	TWA (8 h)	ACGIH-2025

#### Additional advice on limit values

- Observe in addition any national regulations!

## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 5 of 9

#### Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Face protection umbrella

##### Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

##### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### Thermal hazards

No data available

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	amber	
Odour:	like: Hydrocarbons	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		218-800 (424.4-1472°F) °C
Flammability:		No data available
Lower explosive limits:		No data available
Upper explosive limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic: (at 40 °C)		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		

## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 6 of 9

Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	No data available
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### Other information

##### Information with regard to physical hazard classes

###### Explosive properties

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

##### Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available

Viscosity / dynamic:

No data available

Flow time:

No data available

##### Further Information

No data available

## 10. Stability and reactivity

#### Reactivity

In case of warming:

Vapours may form explosive mixtures with air.

#### Chemical stability

The product is stable under storage at normal ambient temperatures.

#### Possibility of hazardous reactions

Oxidising agent

#### Conditions to avoid

Heat

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Incompatible materials

No data available

## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 7 of 9

#### Hazardous decomposition products

in case of fire, see:

SECTION 5: Firefighting measures

#### Further information

No data available

## 11. Toxicological information

### Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No data available

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitizing effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

There is no reliable information on carcinogenicity, mutagenicity, target organ toxicity or developmental toxicity.

#### Practical experience

No data available

### Information on other hazards

#### Endocrine disrupting properties

No data available

#### Other information

No data available

#### Further information

Gastrointestinal complaints

Pneumonia

Vapours may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

## Safety Data Sheet

according to WHMIS

### CONOSTAN D-12 Lubricant baseoil >21St

Revision: 21.01.2026

Product code: AC18.06641

Page 8 of 9

Headache

#### 12. Ecological information

##### Persistence and degradability

No data available

##### Mobility in soil

No data available

##### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

##### Other adverse effects

Do not allow to enter into surface water or drains.

##### Further information

Avoid release to the environment.

#### 13. Disposal considerations

##### Waste treatment methods

###### **Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations .

Do not allow to enter into surface water or drains.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

###### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

#### 14. Transport information

##### **Canadian TDG**

###### Proper shipping name:

No dangerous good in sense of this transport regulation.

##### **Marine transport (IMDG)**

###### UN number or ID number:

No dangerous good in sense of this transport regulation.

###### United Nations proper shipping name:

No dangerous good in sense of this transport regulation.

###### Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### Packing group:

No dangerous good in sense of this transport regulation.

##### **Air transport (ICAO-TI/IATA-DGR)**

###### UN number or ID number:

No dangerous good in sense of this transport regulation.

###### United Nations proper shipping name:

No dangerous good in sense of this transport regulation.

###### Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### Packing group:

No dangerous good in sense of this transport regulation.

#### 15. Regulatory information

##### Canadian regulations

##### Provincial regulations

To follow: Current occupational exposure limits for Ontario workplaces under Regulation 833

#### 16. Other information

**Safety Data Sheet**

according to WHMIS

**CONOSTAN D-12 Lubricant baseoil >21St**

Revision: 21.01.2026

Product code: AC18.06641

Page 9 of 9

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*