

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 1 of 14

1. Identification
Product identifier

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Recommended use of the chemical and restrictions on use
Use of the substance/mixture

 Reagents and laboratory chemicals
 Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

Details of the supplier of the safety data sheet
Details of the supplier of the safety data sheet

Company name:	AnalytiChem Services, Unipessoal, Lda
Street:	Rua de Júlio Dinis 676 7º
Place:	P-4050-320 Porto
Telephone:	+351 226002917
E-mail:	info@analytichem.com
Contact person:	SDS service department
E-mail:	SDS@analytichem.com
Internet:	www.analytichem.com
Responsible Department:	SDS service department

Supplier or manufacturer details

Company name:	AnalytiChem Canada Inc.	
	Québec, CANADA	
Street:	21800 Clark Graham Ave	
Place:	CDN-H9X 4B6 Baie-D'Urfé	
Telephone:	+1 (800) 361-6820	Telefax: +1 (800) 253-5549
E-mail:	info@analytichem.com	
Contact person:	SDS service department	
E-mail:	SDS@analytichem.com	
Internet:	www.analytichem.com	
Responsible Department:	AnalytiChem:	
	EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20	
	EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200	
	EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848	
	UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500	
	USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378	
	Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701	
	Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333	
Emergency phone number:	+1 703-741-5970 (CHEMTREC)	

Further Information

This product is a mixture. REACH Registration Number see section 3.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 2 of 14

2. Hazard(s) identification

Classification of the chemical

Regulation (EC) No 1272/2008

- Met. Corr. 1; H290
- Carc. 1B; H350
- Skin Corr. 1B; H314
- Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

- nitric acid
- cobalt

Signal word: Danger

Pictograms:



Hazard statements

- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H350 May cause cancer
- EUH071 Corrosive to the respiratory tract.
- EUH208 Contains cobalt, nickel. May produce an allergic reaction.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P280 Wear protective gloves/protective clothing and eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.

Special labeling

Restricted to professional users.

Hazards not otherwise classified

No data available

3. Composition/information on ingredients

Mixtures

Chemical characterization

Mixtures in aqueous solution

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 3 of 14

Relevant ingredients

CAS No	Components			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071			
-	Lead compounds			< 0.5 %
	-	082-001-00-6		
	Repr. 1A, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H360Df H332 H302 H373 H400 H410			
7440-48-4	cobalt			< 1 %
	231-158-0	027-001-00-9		
	Carc. 1B, Muta. 2, Repr. 1B, Resp. Sens. 1, Skin Sens. 1, Aquatic Chronic 4; H350 H341 H360F H334 H317 H413			
	Cadmium compounds, with the exception of cadmium selenosulfide (xCdS.yCdSe) and mixtures of cadmium sulfide and zinc sulfide (xCdS.yZnS), mixtures of cadmium sulfide and mercury sulfide (xCdS.yHgS) and the cadmium compounds listed separately in this Annex			< 1 %
		048-001-00-5		
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H332 H312 H302 H400 H410			
7440-02-0	nickel			< 1 %
	231-111-4	028-002-00-7		
	Flam. Sol. 2, Carc. 2, Skin Sens. 1, STOT RE 1, Aquatic Chronic 3; H228 H351 H317 H372 H412			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Components	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
-	-	Lead compounds	< 0.5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg Repr. 2; H361f: >= 2,5 - 100 STOT RE 2; H373: >= 0,5 - 100	
		Cadmium compounds, with the exception of cadmium selenosulfide (xCdS.yCdSe) and mixtures of cadmium sulfide and zinc sulfide (xCdS.yZnS), mixtures of cadmium sulfide and mercury sulfide (xCdS.yHgS) and the cadmium compounds listed separately in this Annex	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

4. First-aid measures
Description of first aid measures

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 4 of 14

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse .

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Methaemoglobinaemia

Risk of serious damage to eyes.

Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

Specific hazards arising from the chemical

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 5 of 14

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapors/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapor or spray. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapor or spray.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 6 of 14

Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

- Corrosive to metals.
- Unsuitable container/equipment material: Metal
- The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

- Take national regulations into account.

Further information on storage conditions

- Keep container tightly closed.
- Store in a place accessible by authorized persons only.

Specific end use(s)

- Laboratory chemicals

8. Exposure controls/personal protection
Control parameters
Exposure limits

CAS No	Substance	ppm	mg/m ³	Category	Origin
7440-48-4	Cobalt (inhalable particulate matter)		0.02	TWA (8 h)	ACGIH-2025
7440-48-4	Cobalt metal dust and fume (as Co)	-	0.05	TWA (8 h)	REL
7440-48-4	Cobalt metal, dust, and fume (as Co)	-	0.1	TWA (8 h)	REL
7440-02-0	Nickel elemental (inhalable fraction)		1.5	TWA (8 h)	ACGIH-2025
7440-02-0	Nickel metal and other compounds (as Ni)	0.015	-	TWA (8 h)	REL
7440-02-0	Nickel, metal and insoluble compounds (as Ni)	-	1	TWA (8 h)	REL
7697-37-2	Nitric acid	2	5	TWA (8 h)	REL
		2	5	TWA (8 h)	REL
		4	10	STEL (15 min)	REL
7697-37-2	Nitric acid	2	5.2	TWA (8 h)	ACGIH-2025
		4	10	STEL (15 min)	ACGIH-2025

Biological Exposure Indices (BEI-ACGIH)

CAS No	Substance	Determinant	Value	Test material	Sampling time
7440-48-4	COBALT	Cobalt	15 µg/L	urine	End of shift at end of workweek
7440-02-0	NICKEL	Nickel	5 µg/L	urine	Post-shift at end of workweek

Exposure controls
Appropriate engineering controls

- Technical measures and the application of suitable work processes have priority over personal protection equipment.
- If handled uncovered, arrangements with local exhaust ventilation have to be used.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 7 of 14

Individual protection measures, such as personal protective equipment
Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties
Information on basic physical and chemical properties

Physical state:	Liquid	
Color:	clear	
Odor:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value (at 20 °C):		<2
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapor pressure:		No data available

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 8 of 14

Vapor pressure:	No data available
Density (at 23 °C):	1,084 g/cm ³
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

Oxidizing

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

0

Solid content:

0

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Corrosive to metals.

10. Stability and reactivity

Reactivity

Corrosive to metals.

Oxidising agent

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide

Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

Conditions to avoid

No data available

Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Hazardous decomposition products

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 9 of 14

In case of fire may be liberated:
SECTION 5: Fire fighting measures

Further information

No data available

11. Toxicological information

Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
-	Lead compounds				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
	Cadmium compounds, with the exception of cadmium selenosulfide (xCdS.yCdSe) and mixtures of cadmium sulfide and zinc sulfide (xCdS.yZnS), mixtures of cadmium sulfide and mercury sulfide (xCdS.yHgS) and the cadmium compounds listed separately in this Annex				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage
 Serious eye damage/eye irritation: Causes serious eye damage
 Corrosive to the respiratory tract.
 Following ingestion Gastric perforation
 Irritating to respiratory system.
 Pulmonary oedema
 Mucous membrane irritations in the mouth, throat, esophagus and gastrointestinal tract.
 see also Section 4

Sensitizing effects

Based on available data, the classification criteria are not met.
 Contains cobalt, nickel. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 10 of 14

May cause cancer (cobalt)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Route(s) of Entry

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met.

CAS No	Components					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC	> 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50	> 1000 mg/l ()	3 h	Activated sludge	Study report (2008) OECD Guideline 209

Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 11 of 14

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

Discharge into the environment must be avoided.
 Harmful effect due to pH shift.
 Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

13. Disposal considerations
Waste treatment methods
Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
 Send to a physico-chemical treatment facility under observation of official regulations.
 Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
 Waste codes/waste designations according to EWC/AVV

14. Transport information
Land transport (ADR/RID)

<u>UN number or ID number:</u>	UN 3264
<u>UN proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
<u>Transport hazard class(es):</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Classification Code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

<u>UN number or ID number:</u>	UN 3264
<u>UN proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
<u>Transport hazard class(es):</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Classification Code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

<u>UN number or ID number:</u>	UN 3264
<u>UN proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 12 of 14

Transport hazard class(es): 8
Packing group: III
 Hazard label: 8
 Special Provisions: 223 274
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-B
 Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
Transport hazard class(es): 8
Packing group: III
 Hazard label: 8
 Special Provisions: A3 A803
 Limited quantity Passenger: 1 L
 Passenger LQ: Y841
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 852
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 856
 IATA-max. quantity - Cargo: 60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
 Entry 3, Entry 27, Entry 28, Entry 63, Entry 75

Marketing and use of explosives precursors:

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe employment restrictions for young people.
 Water hazard class (D): 2 - obviously hazardous to water

16. Other information

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 13 of 14

Abbreviations and acronyms

Ox. Liq. 3: Oxidizing liquids
 Met. Corr. 1: Corrosive to metals
 Flam. Sol. 2: Flammable solids
 Acute Tox. 3: Acute toxicity
 Acute Tox. 4: Acute toxicity
 Skin Corr. 1A: Skin corrosion
 Skin Corr. 1B: Skin corrosion
 Eye Dam. 1: Eye damage
 Resp. Sens. 1: Respiratory sensitisation
 Skin Sens. 1: Skin sensitisation
 Muta. 2: Germ cell mutagenicity
 Carc. 1B: Carcinogenicity
 Carc. 2: Carcinogenicity
 Repr. 1A: Reproductive toxicity
 Repr. 1B: Reproductive toxicity
 STOT RE 1: Specific target organ toxicity repeated or prolonged exposure
 STOT RE 2: Specific target organ toxicity repeated or prolonged exposure
 Aquatic Acute 1: Acute aquatic hazard
 Aquatic Chronic 1: Chronic aquatic hazard
 Aquatic Chronic 3: Chronic aquatic hazard
 Aquatic Chronic 4: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1B; H350	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H statements (full text)

H228 Flammable solid
 H272 May intensify fire; oxidizer
 H290 May be corrosive to metals
 H302 Harmful if swallowed
 H312 Harmful in contact with skin
 H314 Causes severe skin burns and eye damage
 H317 May cause an allergic skin reaction
 H318 Causes serious eye damage
 H331 Toxic if inhaled
 H332 Harmful if inhaled
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
 H341 Suspected of causing genetic defects
 H350 May cause cancer
 H351 Suspected of causing cancer
 H360Df May damage the unborn child; suspected of damaging fertility
 H360F May damage fertility
 H372 Causes damage to organs through prolonged or repeated exposure
 H373 May cause damage to organs through prolonged or repeated exposure
 H400 Very toxic to aquatic life
 H410 Very toxic to aquatic life with long lasting effects
 H412 Harmful to aquatic life with long lasting effects
 H413 May cause long lasting harmful effects to aquatic life

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision date: 07/20/2023

Product code: AC18.10799

Page 14 of 14

- EUH071 Corrosive to the respiratory tract.
- EUH208 Contains cobalt, nickel. May produce an allergic reaction.

Other data

Provide appropriate information, instructions and training to users.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)