



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Custom ICP-ICP/MS Standard (AQ0-309-221)**

Revision: 18.12.2025

Product code: AC18.23198

Page 2 of 13

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
 Skin Corr. 1B; H314  
 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**

nitric acid  
 Hydrofluoric acid ... %

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.  
 EUH071 Corrosive to the respiratory tract.

**Precautionary statements**

P260 Do not breathe mist/vapours/spray.  
 P264 Wash hands thoroughly after handling.  
 P280 Wear protective gloves/protective clothing and eye protection/face protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Custom ICP-ICP/MS Standard (AQ0-309-221)**

Revision: 18.12.2025

Product code: AC18.23198

Page 3 of 13

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071			
7664-39-3	Hydrofluoric acid ... %			< 1 %
	231-634-8	009-003-00-1	01-2119458860-33	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A, Eye Dam. 1; H310 H330 H300 H314 H318			
7440-50-8	copper			< 0.1 %
	231-159-6	029-026-00-0		
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	nitric acid	5 - < 10 %
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20		
7664-39-3	231-634-8	Hydrofluoric acid ... %	< 1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1		
7440-50-8	231-159-6	copper	< 0.1 %
	Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1		

**Further Information**

No data available

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water, Calcium gluconate solution

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (AQ0-309-221)

Revision: 18.12.2025

Product code: AC18.23198

Page 4 of 13

#### After ingestion

Rinse mouth immediately and drink plenty of water.  
 Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.  
 Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns.  
 Irritant

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids  
 Hazardous combustion products  
 In case of fire may be liberated:  
 Nitrogen oxides (NO<sub>x</sub>)  
 Hydrogen fluoride

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.  
 Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
 Use water spray jet to protect personnel and to cool endangered containers.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Corrosive to metals.

##### For non-emergency personnel

Provide adequate ventilation.  
 Use personal protection equipment.  
 Avoid contact with skin, eyes and clothes.  
 Remove persons to safety.  
 Emergency procedures  
 Consult an expert  
 Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (AQ0-309-221)

Revision: 18.12.2025

Product code: AC18.23198

Page 5 of 13

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal, Glass

The product develops hydrogen in an aqueous solution in contact with metals.

#### Hints on joint storage

To follow: National regulations

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

Only for laboratory and analysis purposes.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Custom ICP-ICP/MS Standard (AQ0-309-221)**

Revision: 18.12.2025

Product code: AC18.23198

Page 6 of 13

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7440-50-8	Copper, dusts and mists	-	1		TWA (8 h)	
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

**Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	3 mg/L	Urine	End of shift

**DNEL/DMEL values**

CAS No	Substance	DNEL type	Exposure route	Effect	Value
7664-39-3	Hydrofluoric acid ... %				
	Worker DNEL, long-term		inhalation	systemic	1,5 mg/m <sup>3</sup>
	Worker DNEL, acute		inhalation	systemic	2,5 mg/m <sup>3</sup>
	Worker DNEL, long-term		inhalation	local	1,5 mg/m <sup>3</sup>
	Worker DNEL, acute		inhalation	local	2,5 mg/m <sup>3</sup>
	Consumer DNEL, long-term		inhalation	systemic	0,03 mg/m <sup>3</sup>
	Consumer DNEL, acute		inhalation	systemic	0,03 mg/m <sup>3</sup>
	Consumer DNEL, long-term		inhalation	local	0,2 mg/m <sup>3</sup>
	Consumer DNEL, acute		inhalation	local	1,25 mg/m <sup>3</sup>
	Consumer DNEL, long-term		oral	systemic	0,01 mg/kg bw/day
	Consumer DNEL, acute		oral	systemic	0,01 mg/kg bw/day

**PNEC values**

CAS No	Substance	Environmental compartment	Value
7664-39-3	Hydrofluoric acid ... %		
	Freshwater		0,89 mg/l
	Marine water		0,089 mg/l
	Freshwater sediment		3,38 mg/kg
	Marine sediment		0,338 mg/kg
	Micro-organisms in sewage treatment plants (STP)		51 mg/l
	Soil		10,6 mg/kg

**Additional advice on limit values**

Observe in addition any national regulations!

**8.2. Exposure controls**
**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (AQ0-309-221)

Revision: 18.12.2025

Product code: AC18.23198

Page 7 of 13

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Wear eye/face protection.

##### Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

##### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### Thermal hazards

No data available

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	No data available	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 22 °C):		No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (AQ0-309-221)

Revision: 18.12.2025

Product code: AC18.23198

Page 8 of 13

Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties	No data available
No data available	
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	

##### **Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0%
Solid content:	0%
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

##### **Further Information**

Corrosive to metals.

## SECTION 10: Stability and reactivity

### **10.1. Reactivity**

Corrosive to metals.

### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

### **10.3. Possibility of hazardous reactions**

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

### **10.4. Conditions to avoid**

No data available

### **10.5. Incompatible materials**

Cellulose

Metal

Glass

The product develops hydrogen in an aqueous solution in contact with metals.

### **10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

##### **Further information**

No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Custom ICP-ICP/MS Standard (AQ0-309-221)**

Revision: 18.12.2025

Product code: AC18.23198

Page 9 of 13

**SECTION 11: Toxicological information**
**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
7664-39-3	Hydrofluoric acid ... %				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 2240 ppm	Rat	Study report (1990)	OECD Guideline 403

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Custom ICP-ICP/MS Standard (AQ0-309-221)**

Revision: 18.12.2025

Product code: AC18.23198

Page 10 of 13

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**SECTION 12: Ecological information**
**12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 1559 mg/l	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC 268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC > 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7664-39-3	Hydrofluoric acid ... %					
	Acute fish toxicity	LC50 299 mg/l	96 h	Salmo trutta	REACH Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50 43 mg/l	96 h	various algae species	REACH Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC 3,7 mg/l	21 d	Daphnia magna	REACH Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 2930 mg/l ( )	3 h	Activated sludge	REACH Registration Dossier	ISO 8192

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
7664-39-3	Hydrofluoric acid ... %	53 - 58	not specified	REACH Registration D

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (AQ0-309-221)

Revision: 18.12.2025

Product code: AC18.23198

Page 11 of 13

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

##### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	UN 3264
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

#### **Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 3264
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

#### **Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	UN 3264
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	III

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Custom ICP-ICP/MS Standard (AQ0-309-221)**

Revision: 18.12.2025

Product code: AC18.23198

Page 12 of 13

Hazard label:	8
Special Provisions:	223 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	1 - acids

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 65, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**Additional information**

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

**National regulatory information**
**SECTION 16: Other information**
**Abbreviations and acronyms**

Ox. Liq. 3: Oxidising liquids, hazard category 3  
 Met. Corr. 1: Corrosive to metals, hazard category 1  
 Acute Tox. 1: Acute toxicity, hazard category 1  
 Acute Tox. 2: Acute toxicity, hazard category 2  
 Acute Tox. 3: Acute toxicity, hazard category 3  
 Skin Corr. 1A: Skin corrosion, sub-category 1A  
 Skin Corr. 1B: Skin corrosion, sub-category 1B  
 Eye Dam. 1: Serious eye damage, hazard category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (AQ0-309-221)

Revision: 18.12.2025

Product code: AC18.23198

Page 13 of 13

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*