

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Sodium dodecyl sulfate for Biochemistry

REACH Registration Number: 01-2119489461-32-XXXX  
CAS No: 151-21-3  
EC No: 205-788-1

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+44 20 3807 3798 (CHEMTREC)

**1.4. Emergency telephone number:**

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 2 of 13

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Sol. 2; H228  
Acute Tox. 4; H332  
Acute Tox. 4; H302  
Skin Irrit. 2; H315  
Eye Dam. 1; H318  
STOT SE 3; H335  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H228 Flammable solid.  
H302+H332 Harmful if swallowed or if inhaled.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P313 Get medical advice/attention.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Sum formula:  $C_{12}H_{25}OSO_2ONa$   
Molecular weight: 288,37 g/mol

## Sodium dodecyl sulfate for Biochemistry

Revision: 04.11.2025

Product code: AC21.00123

Page 3 of 13

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
151-21-3	sodium dodecyl sulphate			100 %
	205-788-1		01-2119489461-32-XXXX	
	Flam. Sol. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H228 H332 H302 H315 H318 H335 H412			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
151-21-3	205-788-1	sodium dodecyl sulphate	100 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1200 mg/kg	

## Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

No data available

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water and soap

Take off immediately all contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Cough

Dyspnoea

Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 4 of 13

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Combustible solids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Suppress gases/vapours/mists with water spray jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Danger of explosion

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

## Sodium dodecyl sulfate for Biochemistry

Revision: 04.11.2025

Product code: AC21.00123

Page 5 of 13

**7.1. Precautions for safe handling****Advice on safe handling**

Avoid dust formation.  
Do not breathe dust.  
Read label before use.

**Advice on protection against fire and explosion**

Take action to prevent static discharges.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.  
Draw up and observe skin protection programme.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a dry place.  
Keep cool. Protect from sunlight.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Keep container tightly closed.  
storage temperature: +5°C - +30°C

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
151-21-3	sodium dodecyl sulphate			
Worker DNEL, long-term		inhalation	systemic	285 mg/m³
Worker DNEL, long-term		dermal	systemic	4060 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	85 mg/m³
Consumer DNEL, long-term		dermal	systemic	2440 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	24 mg/kg bw/day

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 6 of 13

**PNEC values**

CAS No	Substance	
Environmental compartment		Value
151-21-3	sodium dodecyl sulphate	
Freshwater		0,176 mg/l
Freshwater (intermittent releases)		0,055 mg/l
Marine water		0,018 mg/l
Freshwater sediment		6,97 mg/kg
Marine sediment		0,697 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,35 mg/l
Soil		1,29 mg/kg

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaust at critical locations.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 7 of 13

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Filtering device with filter or ventilator filtering device of type: P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

Danger of explosion

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	white
Odour:	odourless
Odour threshold:	not determined
Melting point/freezing point:	204-207 °C
Boiling point or initial boiling point and boiling range:	~216 °C
Flammability:	No data available
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	No data available
Auto-ignition temperature:	not determined
Decomposition temperature:	380 °C
pH-Value (at 20 °C):	6 - 9 (10 g/l)
Viscosity / kinematic:	not determined
Water solubility: (at 20 °C)	130 g/l
Solubility in other solvents	not determined
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	log Pow: 0
Dispersion stability:	not determined
Vapour pressure: (at 20 °C)	< 0 hPa
Vapour pressure:	not determined
Density:	No data available
Relative density:	not determined
Bulk density:	~400 kg/m <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not determined

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

Danger of dust explosion.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Sustained combustibility: No data available

Self-ignition temperature

Solid: not determined

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 8 of 13

Gas: not applicable  
Oxidizing properties  
No data available

**Other safety characteristics**

Evaporation rate: not determined  
Solvent separation test: not determined  
Solvent content: not determined  
Solid content: 100%  
Sublimation point: not determined  
Softening point: not determined  
Pour point: not determined  
not determined:  
Viscosity / dynamic: not determined  
Flow time: not determined

**Further Information**

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Danger of dust explosion.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Oxidising agent

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Harmful if inhaled.

Harmful if swallowed.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.



## Sodium dodecyl sulfate for Biochemistry

Revision: 04.11.2025

Product code: AC21.00123

Page 9 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
151-21-3	sodium dodecyl sulphate				
	oral	LD50 1200 mg/kg	Rat	Other company data (1983)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2012)	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Possible risk of irreversible effects. (eyes)

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (sodium dodecyl sulphate)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

No data available

**Further information**

Irritant

corrosive

Cough

Dyspnoea

Risk of serious damage to eyes.

**SECTION 12: Ecological information****12.1. Toxicity**

## Sodium dodecyl sulfate for Biochemistry

Revision: 04.11.2025

Product code: AC21.00123

Page 10 of 13

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
151-21-3	sodium dodecyl sulphate					
	Acute fish toxicity	LC50 29 mg/l	96 h	Pimephales promelas	Study report (2004)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l > 120	72 h	Desmodesmus subspicatus	Study report (1994)	other: DIN 38412, part 9
	Acute crustacea toxicity	EC50 mg/l 3,15	48 h	Artemia salina	Journal of the Water Pollution Control F	Static mortality test on Artemia nauplii
	Fish toxicity	NOEC mg/l >= 1,357	42 d	Pimephales promelas	Bulletin of Environmental Contamination	42 day exposure of fish in aquaria provi
	Crustacea toxicity	NOEC mg/l 0,88	7 d	Ceriodaphnia dubia	Environmental Toxicology and Water Quali	other: EPA-600/489/001: Short term metho
	Acute bacteria toxicity	EC50 ( ) 135 mg/l	3 h	activated sludge of a predominantly domestic sewage	Water Research 17(10): 1363-1368 (1983)	other: OECD Environment directorate prop

**12.2. Persistence and degradability**

95 %; 28 d; aerob

OECD 301 B

Readily biodegradable (according to OECD criteria).

**12.3. Bioaccumulative potential****Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
151-21-3	sodium dodecyl sulphate	0

**BCF**

CAS No	Chemical name	BCF	Species	Source
151-21-3	sodium dodecyl sulphate	ca. 4	Cyprinus carpio	Chemosphere 11, 917-

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of UK REACH.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 11 of 13

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1325
<b>14.2. UN proper shipping name:</b>	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
<b>14.3. Transport hazard class(es):</b>	4.1
<b>14.4. Packing group:</b>	III
Hazard label:	4.1
Classification code:	F1
Special Provisions:	274
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	40
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1325
<b>14.2. UN proper shipping name:</b>	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
<b>14.3. Transport hazard class(es):</b>	4.1
<b>14.4. Packing group:</b>	III
Hazard label:	4.1
Classification code:	F1
Special Provisions:	274
Limited quantity:	5 kg
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1325
<b>14.2. UN proper shipping name:</b>	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
<b>14.3. Transport hazard class(es):</b>	4.1
<b>14.4. Packing group:</b>	III
Hazard label:	4.1
Special Provisions:	223, 274
Limited quantity:	5 kg
Excepted quantity:	E1
EmS:	F-A, S-G

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1325
<b>14.2. UN proper shipping name:</b>	FLAMMABLE SOLID, ORGANIC, N.O.S. (sodium dodecyl sulphate)
<b>14.3. Transport hazard class(es):</b>	4.1
<b>14.4. Packing group:</b>	III
Hazard label:	4.1
Special Provisions:	A3 A803
Limited quantity Passenger:	10 kg
Passenger LQ:	Y443

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 12 of 13

Excepted quantity:	E1	
IATA-packing instructions - Passenger:		446
IATA-max. quantity - Passenger:		25 kg
IATA-packing instructions - Cargo:		449
IATA-max. quantity - Cargo:		100 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 40

Information according to Directive  
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 9,12.

**Abbreviations and acronyms**

Flam. Sol. 2: Flammable solids, hazard category 2

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H228 Flammable solid.

H302 Harmful if swallowed.

**Sodium dodecyl sulfate for Biochemistry**

Revision: 04.11.2025

Product code: AC21.00123

Page 13 of 13

H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users